IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor:

Russell G. HIGUCHI

Docket No:

4380US (354393)

Patent No.: 6,814,934

Confirmation No.:

8271

Issued:

November 9, 2004

Group Art Unit:

1743

Serial No.: 08/968,208

Examiner:

J. Snay

Filed:

November 12, 1997

For:

INSTRUMENT FOR MONITORING

NUCLEIC ACID AMPLIFICATION

REVISED CERTIFICATE OF SERVICE UNDER 37 CFR § 1.248(a)(4)

FOR

REQUEST FOR CERTIFICATE OF CORRECTION OF OFFICE MISTAKE UNDER 37 CFR § 1.322 FILED JANUARY 29, 2010

Attn: Certificate Of Corrections Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

On January 29, 2010, patentee filed a REQUEST FOR CERTIFICATE OF CORRECTION OF OFFICE MISTAKE UNDER 37 CFR §1.322, a CERTIFICATE OF CORRECTION (PTO/SB/44), accompanying attachments, and a CERTIFICATE under 37 CFR § 1.248(a)(4) certifying service by deposit in first class mail addressed to:

> Jeffrey B. Oster Member, Trollbusters LLC 8339 SE 57th Street Mercer Island, WA 98040.

Through clerical error, inadequate postage was applied to the service copy, which was today returned by the United States Postal Service to the undersigned attorneys of record.

Accordingly, I hereby certify that true and correct copies of the REQUEST FOR CERTIFICATE OF CORRECTION OF OFFICE MISTAKE UNDER 37 CFR §1.322, CERTIFICATE OF

15522331.1.BUSINESS

CORRECTION (PTO/SB/44), accompanying attachments, and the original CERTIFICATE OF SERVICE, all as filed on January 29, 2010; and a copy of the returned service copy envelope, the service transmittal letter, and this REVISED CERTIFICATE OF SERVICE, were served in the manner indicated below, on this 3rd day of February 2010, to Third Party Reexamination Requester as follows:

VIA FIRST CLASS MAIL

Jeffrey B. Oster

Member, Trollbusters LLC

8339 SE 57th Street

Mercer Island, WA 98040.

Respectfully submitted,

Reg. No. 38,376

Date: 3 FERAUARY 2010

DECHERT LLP Customer No. 37509

Tel: 650.813.4800 Fax: 650.813.4848

Enclosures: as stated